

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	4	16 AND (e\$1book OR electronic ADJ book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 11:07
L16	351	15 AND (self OR automatic OR automatically OR auto\$5) NEAR3 (remov\$4 OR time\$1out OR delet\$4 OR eras\$4 OR (wipe ADJ (out OR away)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 11:07
L15	10009	(709/219,229).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/05/07 11:07
L12	20	10 SAME (e\$1book OR electronic ADJ book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 11:04
L11	13	8 AND 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 11:02
L10	81044	(self OR automatic OR automatically OR auto\$5) NEAR3 (remov\$4 OR time\$1out OR delet\$4 OR eras\$4 OR (wipe ADJ (out OR away)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 11:01
L8	26	7 AND (electronic NEAR book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 11:00
L7	274	(John NEAR hendri\$4).in. AND 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 10:59
L6	13	L5 AND ((read WITH (once OR twice OR book)) SAME eras\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 10:59
L5	26	L4 AND (electronic NEAR book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 10:59
L4	274	(John NEAR hendri\$4).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 10:59
L3	1832	Discovery.as. OR (DISCOVERY near2 COMMUNICATIONS).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/05/07 10:58

L2	1	((self OR automatic OR automatically OR auto\$5) AND (remov\$4 OR time\$1out OR delet\$4 OR eras\$4 OR (wipe ADJ (out OR away))) AND (auto\$5 OR dynamic\$4) AND (server OR (file ADJ server)) AND (viewer OR client OR portable) AND video AND signal AND (convert\$4 OR transcod\$4 OR format\$4 OR transfor\$5) AND (e\$1book OR electronic NEAR2 (book OR file OR message OR content))).CLM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/05/07 10:58
L1	1	((e\$1book OR electronic ADJ book) AND (self OR automatic OR automatically OR auto\$5) AND (remov\$4 OR time\$1out OR delet\$4 OR eras\$4 OR (wipe ADJ (out OR away))) AND (server OR (file ADJ server)) AND (viewer OR client OR portable) AND video AND signal AND (convert\$4 OR transcod\$4 OR format\$4 OR transfor\$5) AND (e\$1book OR electronic NEAR2 (book OR file OR message OR content))).CLM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/05/07 10:57
S469	16	S467 OR S468	US-PGPUB; USPAT	OR	ON	2009/05/04 18:36
S468	4	US-4855725-\$.DID. OR US-4890319-\$.DID. OR US-4947244-\$.DID. OR US-4776011-\$.DID.	US-PGPUB; USPAT	OR	ON	2009/05/04 18:36
S467	12	US-7181692-\$.DID. OR US-7051351-\$.DID. OR US-6161093-\$.DID. OR US-6115482-\$.DID. OR US-6029176-\$.DID. OR US-5850520-\$.DID. OR US-5734823-\$.DID. OR US-5553216-\$.DID. OR US-5301172-\$.DID. OR US-5173051-\$.DID. OR US-4579533-\$.DID. OR US-4406626-\$.DID.	US-PGPUB; USPAT	OR	ON	2009/05/04 18:35
S466	11	S461 AND (@ ad<"19941107" OR @ pdk"19941107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/05/04 18:21
S465	0	S463 AND (@ ad<"19941107" OR @ pdk"19941107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/05/04 18:20
S464	11	S462 AND (@ ad<"19941107" OR @ pdk"19941107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/05/04 18:20
S463	7	electronic ADJ (book OR document OR message) (load\$3 OR download\$3) (limit OR maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/05/04 18:19
S462	11	S461 AND S460	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/05/04 18:19
S461	70	prevent\$3 (access OR download\$3) determin\$3 (maximum OR limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/05/04 18:19
S460	13850096	@ ad<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/05/04 18:19

S459	13	S458 AND ((read WITH (once OR twice OR book)) SAME eras\$4) AND (option SAME storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 18:17
S458	26	S457 AND (electronic NEAR book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 18:17
S457	274	(John NEAR hendri\$4).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 18:17
S456	67	read WITH (automatic\$4 OR auto\$4) NEAR3 (delet\$4 OR earas\$4) NEAR3 (message OR data OR content OR document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/05/04 18:16
S455	1	"5383112".pn.	US-PGPUB; USPAT	OR	ON	2009/04/29 14:07
S454	10	("5128662"   "5918213"   "5957697"   "6313828"   "6314474"   "6334109"   "6339842"   "6486895"   "6657654"   "6847403").PN.	US-PGPUB; USPAT	OR	ON	2009/04/29 14:06
S453	3	e\$1book.ti. AND S452	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S452	39254	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/04/29 14:06
S451	1	("0000715").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/04/29 14:06
S449	15	345/901.ccls. AND e\$1book	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S448	188	345/901.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S447	23855	((709/203,212,216,219,226,229,232) or (345/901)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/04/29 14:06
S446	13	S441 AND ((read WITH (once OR twice OR book)) SAME eras\$4) AND (option SAME storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S445	13	S441 AND ((read WITH (once OR twice OR book)) SAME eras\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S444	15	S441 AND (read WITH (once OR twice OR book)) AND eras\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06

S443	15	S441 AND (read WITH (once OR twice OR book))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S442	19	S441 AND read	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S441	26	S440 AND (electronic NEAR book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S440	274	(John NEAR hendri\$4).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S439	67	read WITH (automatic\$4 OR auto\$4) NEAR3 (delet\$4 OR eras\$4) NEAR3 (message OR data OR content OR document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S438	6	read NEAR3 (once OR twice) WITH (automatic\$4 OR auto\$4) NEAR3 (delet\$4 OR eras\$4) NEAR3 (message OR data OR content OR document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S437	80832	(self OR automatic OR automatically OR auto\$5) NEAR3 (remov\$4 OR time\$1out OR delet\$4 OR eras\$4 OR (wipe ADJ (out OR away)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S411	1	S406 AND (encod\$4 OR decod\$4) AND page AND processor AND display\$4 AND micro \$1processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S410	2	S406 AND (encod\$4 OR decod\$4) AND page AND processor AND display\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S409	2	S406 AND (encod\$4 OR decod\$4) AND page AND processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S408	1	S406 AND (encod\$4 OR decod\$4) SAME (page OR display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S407	2	S406 AND (encod\$4 OR decod\$4) AND page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S406	4	((("5,239,665") or ("5,634,064")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 14:06
S405	1	S403 AND @ack<="19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06

S404	16	S399 AND @ack="19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S403	55	electronic (book OR message OR file OR document OR data) page\$1by\$1page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S402	16	S399 AND @ack="19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S401	8	encoded\$4 (book OR message OR file OR document OR data) page\$1by\$1page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S400	1	encoded\$4 electronic (book OR message OR file OR document OR data) page\$1by\$1page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S399	487	encoded\$4 (book OR message OR file OR document OR data) AND page\$1by\$1page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S398	13	S396 AND catalog NEAR4 print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S397	26	S396 AND catalog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S396	183	(Hendricks near John)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S395	0	("(HendricksnearJohn)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 14:06
S394	10	header (meta\$1data OR instruction\$3 OR command) (e\$1mail OR email OR (electronic ADJ mail)) SAME (proces\$4 OR transmit\$4 OR communicat\$4 OR handl\$4) AND (virus NEAR2 scan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S393	3	header (meta\$1data OR instruction\$3 OR command) (e\$1mail OR email OR (electronic ADJ mail)) SAME (proces\$4 OR transmit\$4 OR communicat\$4 OR handl\$4) AND (virus NEAR2 scan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S392	282	header (meta\$1data OR instruction\$3 OR command) (e\$1mail OR email OR (electronic ADJ mail)) SAME (proces\$4 OR transmit\$4 OR communicat\$4 OR handl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06

S391	449	header (meta\$1data OR instruction\$3 OR command) (e\$1mail OR email OR (electronic ADJ mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S390	0	S389 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S389	158	on\$1line catalog AND (ebook OR e\$1book OR electronic NEAR book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S388	0	S386 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S387	0	S386 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S386	104	on\$1line catalog AND (ebook OR e\$1book OR electronic NEAR book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/29 14:06
S385	10	on\$1line catalog SAME (ebook OR e\$1book OR electronic NEAR book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/29 14:06
S384	10	S383 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S383	128	print\$3 tv NEAR guide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S382	36	S381 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S381	233	print\$4 (title OR abstract) (catalog OR menu OR magazine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S380	92	S379 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S379	384	only (title OR abstract) print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S378	1	limited portion (title OR abstract) print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06

S377	10	S376 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S376	94	print\$4 (configured OR arranged OR adapted) ((specific NEAR2 section) OR title)	US-PGPUB; USPAT	WITH	ON	2009/04/29 14:06
S375	4855	print\$4 ((specific NEAR2 section) OR title)	US-PGPUB; USPAT	WITH	ON	2009/04/29 14:06
S374	40	S373 AND print\$3	US-PGPUB; USPAT	OR	ON	2009/04/29 14:06
S373	61	("3891792"   "4023408"   "4197590"   "4361848"   "4517598"   "4587520"   "4605964"   "4639225"   "4688218"   "4829569"   "4855725"   "4855725"   "4920432"   "4985697"   "5036394"   "5132789"   "5146600"   "5148957"   "5159669"   "5216515"   "5220438"   "5237614"   "5239665"   "5257185"   "5260778"   "5315711"   "5339239"   "5388196"   "5446490"   "5486686"   "5502576"   "5524201"   "5532920"   "5534888"   "5565999"   "5621658"   "5634064"   "5696982"   "5721908"   "5737725"   "5761485"   "5771354"   "5788504"   "5793414"   "5799157"   "5877801"   "5893109"   "5956034"   "5986690"   "6034680"   "6052717"   "6163796"   "6204885"   "6243071"   "6249785"   "6279017"   "6295542"   "6351750"   "6363418"   "6411973"   "6664754"   "D362429").PN.	US-PGPUB; USPAT	OR	ON	2009/04/29 14:06
S372	125	("3891792"   "4023408"   "4197590"   "4361848"   "4517598"   "4587520"   "4605964"   "4639225"   "4688218"   "4829569"   "4855725"   "4855725"   "4920432"   "4985697"   "5036394"   "5132789"   "5146600"   "5148957"   "5159669"   "5216515"   "5220438"   "5237614"   "5239665"   "5257185"   "5260778"   "5315711"   "5339239"   "5388196"   "5446490"   "5486686"   "5502576"   "5524201"   "5532920"   "5534888"   "5565999"   "5621658"   "5634064"   "5696982"   "5721908"   "5737725"   "5761485"   "5771354"   "5788504"   "5793414"   "5799157"   "5877801"   "5893109"   "5956034"   "5986690"   "6034680"   "6052717"   "6163796"   "6204885"   "6243071"   "6249785"   "6279017"   "6295542"   "6351750"   "6363418"   "6411973"   "6664754"   "D362429").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S371	14	S370 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S370	625	printer SAME (electronic NEAR2 (library OR book) OR (e\$1book))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S369	5	S368 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06

S368	442	printer WITH (electronic NEAR2 (library OR book) OR (e\$1book))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S367	3	S366 AND @ad<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S366	366	printer WITH (electronic NEAR (library OR book))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S365	19	S363 AND @ad<"19940101" AND specific AND (portion OR section)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S364	42	S363 AND @ad<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S363	2484	printer WITH electronic WITH (library OR server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S362	9	S361 AND @ad<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S361	58	catalog NEAR printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S360	1	encod\$5 text access printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S359	396	encod\$5 text access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S358	2	("5,239,665").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 14:06
S357	2	("5,634,064").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 14:06
S356	13	catalog WITH print\$4 WITH title WITH server WITH (data OR file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S355	26	S354 AND electronic NEAR book	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06



S354	181	(John NEAR hendricks).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S353	183	John NEAR hendricks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S352	38	S350 AND @ ad<"19931201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S351	270	S349 WITH convert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S350	270	S349 WITH convert\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S349	12587	Video ADJ2 Text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/29 14:06
S348	25	convert\$4 (video ADJ signal) ((text OR electronic) NEAR2 (document OR file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S347	23	S346 AND @ ad<"19931201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S346	1666	convert\$3 NEAR2 (audio OR video) NEAR2 text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S345	213	S344 AND @ ad<"19931201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S344	5502	convert\$3 (audio OR video) text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S343	13	S342 AND @ ad<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S342	1710	authoriz\$3 (viewer OR client) (download\$3 OR stor \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S341	1	S340 AND @ ad<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06

S340	238	authoriz\$3 (viewer OR client) download	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S339	2	("5239665").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 14:06
S338	68	"5239665"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S337	26	S336 AND (electronic NEAR book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S336	274	(John NEAR hendri\$4).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S335	35	S334 AND book	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S334	276	John NEAR hendri\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S333	345	S331 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S332	67	S330 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S331	4993	(limit\$4 OR control\$4) (load\$3 OR download\$3) (book OR document OR file OR (electronic ADJ (file OR document OR message OR content))) (server OR controller OR (file ADJ server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S330	734	(limit\$4 OR control\$4) (load\$3 OR download\$3) (book OR document) (server OR controller OR (file ADJ server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S329	9	S328 AND (electronic SAME (book OR file OR document OR content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S328	111	S327 AND @ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S327	1399	((Limited OR predetermined) NEAR2 time) (delete OR erase OR remove) (text OR data OR program OR trial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06

S326	26	S325 AND S323	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S325	235	time\$1out (delete OR erase OR remove) (text OR data OR program OR trial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S324	5	S322 AND S323	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S323	13850095	@ack<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S322	94	time\$1out delete (text OR data OR program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S321	2	("5239665").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 14:06
S320	13	S313 NOT S318	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S319	36	S315 NOT S318	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S318	81	("3891792"   "4197590"   "4361848"   "4517598"   "4587520"   "4605964"   "4639225"   "4688218"   "4829569"   "4855725"   "4920432"   "4985697"   "5036394"   "5132789"   "5216515"   "5239665"   "5260778"   "5339239"   "5388196"   "5446490"   "5486686"   "5502576"   "5532920"   "5534888"   "5634064"   "5696982"   "5737725"   "5761485"   "5771354"   "5793414"   "5799157"   "5877801"   "5986690"   "6034680"   "6052717"   "6163796"   "6204885"   "6243071"   "6411973"   "D362429").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S317	2	("5,524,201").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 14:06
S316	2	S313 AND S315	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S315	38	S296 AND (storage OR capacity) AND limit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06

S314	171	S296 AND (storage OR capacity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S313	16	(US-20040024688-\$.did. or (US-6883020-\$ or US-6003082-\$ or US-6560651-\$ or US-6615233-\$ or US-6643696-\$ or US-6138155-\$ or US-5796952-\$ or US-6578054-\$ or US-5914706-\$ or US-5333312-\$ or US-5276901-\$ or US-6243071-\$ or US-5524201-\$ or US-5417575-\$ or US-5392387-\$ or US-4855725-\$.did. or (US-6411973-\$.did.	US-PGPUB; USPAT; DERWENT	OR	ON	2009/04/29 14:06
S312	15	("4625295"   "4773009"   "4799191"   "4855725"   "4864502"   "4879648"   "4974191"   "4985697"   "5083268"   "5111398"   "5146552"   "5199104"   "5210689"   "5239665"   "5265242").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/29 14:06
S311	2	("6411973").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 14:06
S310	5	S309 AND S303	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S309	2506	S308 AND S292	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S308	22116	control\$3 (access\$3 OR download\$3) electronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S307	11	S305 AND (prevent\$3 OR limit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S306	4	S305 AND prevent\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S305	131	S304 AND S292	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S303	13745	e\$1book OR (electronic ADJ book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S302	7	electronic ADJ (book OR document OR message) (load\$3 OR download\$3) (limit OR maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S301	11	S300 AND S292	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06

S300	70	prevent\$3 (access OR download\$3) determin\$3 (maximum OR limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S299	12	S296 AND (limit\$3 NEAR2 (access OR download \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S298	2	S296 AND S297	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:06
S297	24077	limit\$3 access (message OR content OR dat OR electronic) (size OR number OR storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S296	291	S295 AND S292	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S295	13670	electronic ADJ (library OR book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S294	10	S293 AND (electronic NEAR2 (book OR message OR information OR content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S293	99	S291 AND S292	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S292	13850095	@ ad<"19940101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S291	5981	limit\$3 access (message OR content OR dat OR electronic) (size OR number OR storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S290	4	S282 AND S289	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S289	2129	S288 AND @ ad<"20001128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S288	6850	determin\$3 how (many OR much) (data OR (electronic NEAR2 (data OR message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S287	188	S286 AND (server SAME client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06

S286	1968	S282 AND @ack<"20001128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S285	1	S282 AND S284	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S284	380	(controller NEAR4 access) WITH download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S283	4	S280 AND S282	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S282	14815	e\$1book OR (electronic NEAR book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S281	2	S258 AND S280	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S280	278	controller access server client download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S279	15	controller access server client download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S278	410	S277 AND ((client OR viewer) AND server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S277	2390	determin\$3 NEAR4 (number OR volume) NEAR3 (load\$3 OR download\$3 OR stor\$3) NEAR3 (data OR content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S276	0	determin\$3 NEAR4 (number OR volume) NEAR3 (load\$3 OR download\$3 OR stor\$3) NEAR3 (data OR content) NEAR5 (prevent\$3 NEAR3 download\$3 NEAR2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S275	22	S271 AND S274	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S274	151	determin\$3 NEAR4 (load\$3 OR download\$3 OR stor\$3) AND (prevent\$3 NEAR3 download\$3 NEAR2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S273	4	determin\$3 NEAR4 (load\$3 OR download\$3 OR stor\$3) SAME (prevent\$3 NEAR3 download\$3 NEAR2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06

S272	21	S270 AND S271	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S271	22419698	@ack<"20001128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S270	147	(Prevent\$3 OR avert\$3 OR stop\$3) (download\$3 OR stor\$3) ((electronic NEAR2 (data OR content OR information OR message)) data OR resource OR information OR content) (above OR over OR greater OR exceed\$3 OR surpass OR beyond OR past) (limit OR threshold OR maximum OR uppermost OR highest) (client AND server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S269	4	(Prevent\$3 OR avert\$3 OR stop\$3) (download\$3 OR stor\$3) ((electronic NEAR2 (data OR content OR information OR message)) data OR resource OR information OR content) (above OR over OR greater OR exceed\$3 OR surpass OR beyond OR past) (limit OR threshold OR maximum OR uppermost OR highest) (client AND server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S268	271	(Prevent\$3 OR avert\$3 OR stop\$3) (download\$3 OR stor\$3) ((electronic NEAR2 (data OR content OR information OR message)) data OR resource OR information OR content) (above OR over OR greater OR exceed\$3 OR surpass OR beyond OR past) (limit OR threshold OR maximum OR uppermost OR highest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S267	5109	(Prevent\$3 OR avert\$3 OR stop\$3) (download\$3 OR stor\$3) ((electronic NEAR2 (data OR content OR information OR message)) data OR resource OR information OR content) (above OR over OR greater OR exceed\$3 OR surpass OR beyond OR past) (limit OR threshold OR maximum OR uppermost OR highest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S266	20	S258 AND S265	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S265	1968	(prevent\$3 OR deny\$3) (client OR node OR user OR computer) (download\$3 OR stor\$3) (above OR greater OR over) (threshold OR limit OR maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S264	49	(prevent\$3 OR deny\$3) (client OR node OR user OR computer) (download\$3 OR stor\$3) (above OR greater OR over) (threshold OR limit OR maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S263	11	S258 AND S261	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S262	1575	S261 AND S261	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06

S261	1575	prevent\$3 (client OR node OR user) (download\$3 OR stor\$3) (above OR grater OR over) (threshold OR limit OR maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S260	2	S258 AND S259	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S259	137	prevent\$3 (client OR node OR user) download\$3 (above OR grater OR over) (threshold OR limit OR maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S258	4490	(709/229).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S257	60	Determin\$3 (resource OR data OR content OR multimedia) (loaded OR downloaded OR up \$1loaded) (client OR device OR terminal) (limit\$3 OR prevent\$3) (maximum OR threshold OR quota) (client OR server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S256	25	Determin\$3 (resource OR data OR content OR multimedia) (loaded OR downloaded OR up \$1loaded) (client OR device OR terminal) (limit\$3 OR prevent\$3) (maximum OR threshold OR quota) client server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S255	222	Determin\$3 (resource OR data OR content OR multimedia) (loaded OR downloaded OR up \$1loaded) (client OR device OR terminal) (limit\$3 OR prevent\$3) (maximum OR threshold OR quota)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S254	3	Determin\$3 (resource OR data OR content OR multimedia) (loaded OR downloaded OR up \$1loaded) (client OR device OR terminal) (limit\$3 OR prevent\$3) (maximum OR threshold OR quota)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S253	258	S252 SAME (prevent\$3 OR block\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S252	1709	determin\$3 (limit OR threshold OR resource) download\$3 (server OR client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06
S251	27	S250 SAME (prevent\$3 OR block\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S250	230	determin\$3 (limit OR threshold OR resource) download\$3 (server OR client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S249	54	determin\$3 (limit OR threshold OR resource) download\$3 server client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06



S248	752	determin\$3 (limit OR threshold OR resource) download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/04/29 14:06
S247	4481	determin\$3 (limit OR threshold OR resource) download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/29 14:06

5/ 7/ 2009 11:10:52 AM

C:\Documents and Settings\ymesfin1.USPTO\My Documents\EAST\Workspaces\09722742UpdatedSearch.wsp